






DURFLEX
INDOOR SPORT
CATALOG



Anti-scratch



Anti-fire



Waterproof



Stain resistance





TECHNICAL DATA

Test Items	Test Method	Requirement	Results	Unit
Roll Thickness	EN428	-	4.5/6.5/8.0	mm
Length	EN426	-	(15/20)x1.8	m/m
Total Weight	EN430	-	3.39/4.48/5.21	Kg/m ²
Thickness of Wear Layer	EN429	-	0.5/0.8/0.8	mm
Abrasion Resistance	EN ISO 5470-1	≤1000	69/66/66	m/g
Indentation Resistance	A	60-80	76/78/79	°
Shock Absorption	DIN14808	≥25%≤75%±5	28/30/31	%
Friction Coefficient	EN 13036-4	80-110	101/108/110	-
Ball Bounce	EN 12235	90%±5	94/93/93	%



Gem Pattern available color

Size: 1.8m x 15m/20m Wear Layer: 0.5mm
Thickness: 3.5mm/ 4.5mm or customize



G6009



G6014




G6015



G6012



G6016



G6008



G6016



G6011



Sand Pattern



No.:X8005



No.:19427



No.:X8006

Size: 1.8m x 15m/20m
Wear Layer: 1.2mm
Thickness: 3.5mm/ 4.5mm or customize



Grid Pattern



No.: A8001



No.:A8003



No.:A8004

Size: 1.8m x 15m/20m

Wear Layer: 0.5mm

Thickness: 3.5mm/ 4.5mm or customize



Wood Pattern



No.: 88021



No.: 88025



No.: 88024




No.: 88023

Size: 1.8m x 15m/20m
Wear Layer: 0.5mm
Thickness: 4.5mm --- 10mm




Indoor Tennis court



Size: 1.5m/1.42mx15m/20m
Thickness:4.5mm/6mm

Indoor Volleyball court



Size: 1.8mx15m/20m
Thickness:4.5mm/6mm




Indoor Basketball court



Size: 1.8mx15m/20m
Thickness: 4.5mm/6mm


Indoor Table tennis court



Size: 1.5mx15m/20m.
Thickness: 4.5mm/6mm



Indoor Badminton court



Size: 1.5m/1.42mx15m/20m

Thickness: 4.5mm/6mm




Project





Project





Project



Thanks

DURDOOR

Contact:

Phone: +966 556 006 672

Email: info@DURDOOR.COM

Website: www.durdoor.com